



FC SPEED – 100% FLUOROCARBON PRODUCTS AND RC SPEED HIGH PERFORMANCE LIQUID GLIDE WAXES.

When the SPEED has no limits. Vauhti FC SPEED and RC SPEED products have superb characteristics. They minimize the surface energy of the ski base, making it super-hydrophobic and dirt-repelling. At the same time, they are excellent in cold conditions to reduce dry friction. The speed, glide sensitivity, and durability of these glide waxes are excellent in all weather conditions. With versatile application methods every skier will benefit, even the lightweight skiers.

Same as previous FC-products, but with purified raw materials to comply with ECHA regulations on fluorocarbon substances, PFOA < 25 ppb.

FC SPEED POWDERS FC SPEED BLOCKS

PACKAGE SIZE: 30G/1OZ

PACKAGE SIZE: 20G/0.7OZ



320-FCSPW



320-FCSPM



320-FCSPC



320-FCSPLDR



315-FCSBW



315-FCSBM



FC SPEED COLD -6/-20°C | 21/-4°F for all snow types on cold conditions

315-FCSBC

315-FCSBLDR

FC SPEED LDR +5/-10°C | 41/14°F for all snow types, especially in old and man-made snow

RC SPEED LIQUID GLIDE WAXES

They are based on ingredients from the highest level of chemical research used in glide wax series combined with purified top coatings. All these together give the products high speed racing performance, high hydrophobicity, superb durability in all snow conditions.





341-LRCSW RC SPEED WET

+10/-1°C | 50/30°F for all snow types from wet snow to damp snow to zero degrees.

341-LRCSM **RC SPEED MID** +2/-4°C | 36/25°F

for all snow types, especially on new snow and damp snow.





341-LRCSC **RC SPEED COLD** -3/-15°C | 27/5°F

for all snow types on cold conditions.

341-LRCSLDR RC SPEED LDR

+5/-10°C | 41/14°F for all snow types, especially in old and man-made snow.



VAUHTI SPEED OY PAMILONKATU 9 80100 JOENSUU FINLAND +358 (0)10 3465310

WWW.VAUHTI.FI